

No Shots-No School- Not True
No Vaccines for Me! Out of the Box notes
By Craig Stelpflug NDC Healing Pathways Medical Clinic Scottsdale, AZ
NOT TO BE CONSTRUED AS MEDICAL ADVICE

Vaccine death in infants

Raymond Obomsawin, M.D. - "Delay of DPT immunisation until 2 years of age in Japan has resulted in a dramatic decline in adverse side effects... an 85 to 90 percent reduction in severe cases of damage and death." SIDS has returned to previous numbers in Japan since the government now recommends vaccinations be administered at three months.

A study published in the Journal of the American Medical Association found that babies die at a rate eight times greater than normal within three days after getting a DPT shot.

Cot monitors: Scheibner and Karlsson learned that the most common physical insult suffered by SIDS babies was routine vaccinations. Printouts from their monitor illuminated patterns that indicated critical days after vaccinations.

The National Vaccine Information Center (NVIC) released figures which show that the number of hepatitis B vaccine-associated serious adverse event and death reports in American children under the age of 14 outnumber the reported cases of hepatitis B disease in that age group. NVIC is calling the government-mandated hepatitis B vaccination of all children a "dangerous and scientifically unsubstantiated policy."

1990 to March 2008, the US Government recorded 238,755 vaccine related injuries and deaths, according to the VAERS database. Since the FDA estimates that 90% of vaccine reactions go unrecorded, we can extrapolate that during the past 18 years, there have actually been almost 2.4 MILLION vaccine related injuries and deaths!!

Mercury (thimerosal) in vaccines

Thimerosal is in vaccines. 250 times EPA safety limits in 1 flu shot. Material Safety Data sheets for Thimerosal lists: fetal death, miscarriage, mental retardation and gross motor impairment as possible outcomes of in utero exposure to Thimerosal.

A study published in Neurotoxicology discovered brain damage in newborn monkeys given the Hepatitis B vaccine containing the mercury preservative thimerosal. The vaccine caused a significant delay in the acquisition of key primate survival reflexes essential for life in the wild.

"I was actually stunned by what I saw,": According to a CDC epidemiologist named Tom Verstraeten, who had analyzed the agency's massive database containing the medical records of 100,000 children, a mercury-based preservative in the vaccines -- thimerosal -- appeared to be responsible for a dramatic increase in autism and a host of other neurological disorders among children.

Dr. Haley, a biochemist at the University of Kentucky, has found mercury present in all vaccines including the "mercury free" vaccines.

Synergistic Effects of Mercury with Other Toxic Metals

Diseases caused by vaccines

Bart Classen, a Maryland physician, published data showing that diabetes rates rose significantly in New Zealand following a massive hepatitis B vaccine campaign in young children, and that diabetes rates also went up sharply in Finland after three new childhood vaccines were introduced.

J.B Handley, co-founder of Generation Rescue cuts to the chase when it comes to talking about the cause of autism. In an essay titled Vaccines Don't Cause Autism, Pediatricians Do he says, "If a doctor sticks six vaccines into a child while the child is taking antibiotics for an ear infection and Tylenol for a cold, he's not a doctor, he's criminal, and should be hauled into jail on the spot for assault and battery.

Vaccinated boys are 120% more likely to have asthma and 279% more likely to have ADHD than unvaccinated boys.

Reuters - Childhood vaccines may trigger early onset of a severe form of infant epilepsy. The disorder, called Dravet syndrome, generally begins with seizures around six months of age. These children have poor language and motor skills and difficulty relating to others. The researchers said they feared the study published in the Lancet medical journal would scare parents away from getting their children vaccinated...

Vaccine Safety Datalink", which confirms a significant association in American children between an increasing rates of premature puberty and increasing exposure to mercury from Thimerosal-containing childhood vaccines. During the past decade, possible advancement in timing of puberty has been reported in the US. Recently, attention has been paid to the possible role of endocrine-disrupting chemicals on the timing of puberty. The US Agency for Toxic Substances and Disease Registry of the CDC reported that mercury is a known endocrine disruptor and it adversely affects the steroid synthesis pathway in animals and humans.

Vaccine side effects

Oct 2007 NEJM: Vaccine manufacturers have paid out nearly \$2B in damages to parents in America whose children were harmed by one of the childhood jabs such as the MMR (measles-mumps-rubella) or DPT (diphtheria-pertussis-tetanus).

The common side effects of the pertussis vaccine, acknowledged by JAMA, are fever, crying bouts, a shock-like state, and local skin effects such as swelling, redness, and pain. Less frequent but more serious side effects include convulsions and permanent brain damage resulting in mental retardation. The vaccine has also been linked to Sudden Infant Death Syndrome (SIDS).

The measles vaccine is associated with encephalopathy and other complications such as SSPE (subacute sclerosing panencephalitis), which causes hardening of the brain and is invariably fatal. Other sometimes fatal conditions include ataxia, mental retardation, aseptic meningitis, seizure disorders, hemiparesis, encephalitis, juvenile-onset diabetes, Reye's syndrome, and multiple sclerosis. Now add in some autism...

Failures

Mumps vaccine doesn't work! NY – This year! 1,521 people have fallen ill since June in the largest mumps outbreak in the United States since 2006. Among those who've contracted mumps, 88 percent had received one MMR vaccination, and 75 percent had received two. But even a double dose is supposedly only 90 percent effective. Authorities are busy giving a third dose to "mitigate" the outbreak.

MMR shot is not effective! Study after study has demonstrated that many women immunized against rubella as children lack evidence of immunity in blood tests given during their adolescent years. Other tests have shown a

high vaccine failure rate in children given rubella, measles, and mumps shots, either separately or in combined form.

Dr. Joseph Mercola: It's becoming increasingly clear that the SWINE FLU pandemic of 2009 will go down as one of the biggest government and pharmaceutical SCAMS ever. And this has not only renewed a healthy, and necessary, skepticism about the swine flu vaccine, but it has also created a more open debate about vaccinations in general.

Flu vaccine: Doesn't work for pregnant women! Two studies found four times as many influenza-like illness-related hospitalizations in vaccinated women (2.8% vs 0.7%)

Flu vaccine does NOT prevent flu related hospitalization in children, ESPECIALLY THE ONES WITH ASTHMA! In fact with the flu vaccine came a three times more risk for hospitalization vs non vaccinated asthmatic children! Source; American Thoracic Society May 2009

Studies in more than 294,000 children found there was NO evidence that the flu shot had any effect over the placebo! Source "The Cochrane Database of Systematic Reviews"

Usually 36,000 people die from flu complications yearly. We are WAY behind the usual mortality so far. The flu isn't the big killer, the secondary bacterial infection is. WHO has confirmed 18,036 deaths from the H1N1 last year. Now an expert panel investigating WHO's response to last year's swine flu outbreak said Wednesday it wants to see confidential exchanges between the U.N. body and drug companies.

Oct 21, 2009 People born before 1950 (No early childhood vaccines) already have immune titers to the swine flu! (60 minutes report) They don't need a vaccine and they won't get the swine flu!

Misc.

Swiss drugmaker Novartis open a new vaccine plant in North Carolina. You've generously contributed around \$700 million to help Novartis build their shiny new drug factory -- \$220 million three years ago, and \$486 million this year.

10/22/2009 From the Schafer Report: Dr. Paul Offit of the Children's Hospital of Philadelphia (CHOP) received at least \$29 million from his share of royalties for Merck's Rotateg vaccine after using his position with the Centers for Disease Control and Prevention to ensure that childhood vaccination with the vaccine became compulsory.

The United States has the highest number of mandated vaccines for children under 5 in the world (36, double the Western world average of 18), the highest autism rate in the world but only places 34th in the world for its children under 5 mortality rate. We are tied for under 5 deaths with Greece and have more deaths per 1,000 than France, Germany, Japan, Singapore, Cuba, Croatia, Malta and Slovenia, to name a few.

Other adjuvants

Russell Blaylock MD states that Celvapan, the Baxter swine flu vaccine, uses cultured cells from the African green monkey. These cells are previously implicated in transmitting a number of vaccine-contaminating viruses including HIV.

Squalene: "Carcinogenicity - we have done no testing for the carcinogenicity of MF59 adjuvant in any of our vaccines. We haven't done it and we don't plan to." Dr. Novicki, Scientist for Novartis WHO website: Since 1997, an influenza vaccine (FLUAD, Chiron) which contains about 10 mg of squalene per dose, has been approved in health agencies in several European countries.

